To:

F

PCT

NOTIFICATION OF ELECTION

(PCT Rule 61.2)

rom the INTERNATIONAL BUREA

Commissioner	
US Department of Comme	erce
United States Patent and 1	Trademark
Office, PCT	
2011 South Clark Place Ro	om
CP2/5C24	

Arlington, VA 22202

ETATS-UNIS D'AMERIQUE Dat of mailing (day/month/year) in its capacity as elected Office 06 February 2001 (06.02.01) Int rnational application No. Applicant's or agent's file reference PCT/AU00/00696 fp12892 Int rnational filing date (day/month/year) Priority date (day/month/year) 20 June 2000 (20.06.00) 22 June 1999 (22.06.99) **Applicant** TRAN Nauven Hoang et al.

	That, Nguyen, Floang et al
1.	The designated Office is hereby notified of its election made:
	X in the demand filed with the International Preliminary Examining Authority on:
	05 January 2001 (05.01.01)
	in a notice effecting later election filed with the International Bureau on:
	·
2.	The election X was
	was not
	made before the expiration of 19 months from the priority date or, where Rule 32 applies, within the time limit under Rule 32.2(b).

Th International Bureau of WIPO 34, ch min des Colombett s 1211 Gen va 20, Switz rland

Authorized officer

R. E. Stoffel

Telephone No.: (41-22) 338.83.38

Facsimile No.: (41-22) 740.14.35

PATENT COOPERATION TREATY PCT

1				
L	REC'D	19	JUN 2001	7
_	WIPO		Don	11
,	DEDO	——	PCT	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT
(PCT Article 36 and Rule 70)

	- · · · · · · · · · · · · · · · · · · ·		ransmittal of International Preliminary Form PCT/IPEA/416).
International Application No. International Filing Date (day/month/year) Priority Date (day/month/year)			- 1
PCT/AU00/00696	20 June 2000		22 June 1999
International Patent Classification (IPC) or	or national classification	and IPC	
Int. Cl. ⁷ C30B 25/02, 29/48, H01L	21/365		
Applicant			
UNISEARCH LIMITED et al			
This international preliminary examples and is transmitted to the application.	examination report has to ant according to Article	been prepared by this In 36.	ternational Preliminary Examining Authority
2. This REPORT consists of a total	al of 3 sheets, includ	ing this cover sheet.	
X This report is also accomp	panied by ANNEXES,	i.e., sheets of the descri	ption, claims and/or drawings which have
been amended and are the Rule 70.16 and Section 60	e basis for this report an 07 of the Administrative	e Instructions under the	rectifications made before this Authority (see PCT).
These annexes consist of a total			
3. This report contains indications relating to the following items:			
I X Basis of the report	X Basis of the report		
II Priority	Priority		
III Non-establishment	t of opinion with regard	l to novelty, inventive s	tep and industrial applicability
IV Lack of unity of in	V Lack of unity of invention		
V Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement			
VI Certain documents			
VII Certain defects in	Certain defects in the international application		
VIII Certain observatio			
Date of submission of the demand Date of completion of the report		ne report	
5 January 2001		7 June 2001	
Name and mailing address of the IPEA/AU	· · · · · · · · · · · · · · · · · · ·	Authorized Officer	
AUSTRALIAN PATENT OFFICE PO BOX 200, WODEN ACT 2606, AUSTF	RALIA		
E-mail address: pct@ipaustralia.gov.au Facsimile No. (02) 6285 3929]	R.P. ALLEN	
(32), 5200 3727	-	Telephone No. (02) 62	83 2134



·	
International application No.	
PCT/AU00/00696	

I.	Basis of the report	
1.	Vith regard to the elements of the international application:*	
	the international application as originally filed.	
	X the description, pages 1, 4-9, as originally filed,	
	pages, filed with the demand,	
	pages 2-3, received on 29 May 2001 with the letter of 28 May 2001	
	X the claims, pages, as originally filed,	
	pages, as amended (together with any statement) under Article 19,	
	pages , filed with the demand, pages 10-11, received on 29 May 2001 with the letter of 28 May 2001	
	X the drawings, pages 1-8, as originally filed, pages, filed with the demand,	
	pages, received on with the letter of	
	the sequence listing part of the description:	
	pages , as originally filed	
	pages, filed with the demand	
	pages, received on with the letter of	
2.	With regard to the language, all the elements marked above were available or furnished to this Authority in the language in	
	which the international application was filed, unless otherwise indicated under this item. These elements were available or furnished to this Authority in the following language which is:	
	the language of a translation furnished for the purposes of international search (under Rule 23.1(b)).	
	the language of publication of the international application (under Rule 48.3(b)).	
	the language of the translation furnished for the purposes of international preliminary examination (under Rules 55.2	
	and/or 55.3).	
3.	With regard to any nucleotide and/or amino acid sequence disclosed in the international application, was on the basis of the equence listing:	:
	contained in the international application in written form.	
	filed together with the international application in computer readable form.	
	furnished subsequently to this Authority in written form.	
	furnished subsequently to this Authority in computer readable form.	
	The statement that the subsequently furnished written sequence listing does not go beyond the disclosure in the international application as filed has been furnished.	
	The statement that the information recorded in computer readable form is identical to the written sequence listing has been furnished	
4.	The amendments have resulted in the cancellation of:	
	the description, pages	
	the claims, Nos.	
	the drawings, sheets/fig.	
5.	This report has been established as if (some of) the amendments had not been made, since they have been considered to	0
	go beyond the disclosure as filed, as indicated in the Supplemental Box (Rule 70.2(c)).**	
*	Replacement sheets which have been furnished to the receiving Office in response to an invitation under Article 14 are referred to in this report as "originally filed" and are not annexed to this report since they do not contain amendments (Rules 70.16 and 70.17).	
**	Iny replacement sheet containing such amendments must be referred to under item 1 and annexed to this report	

INTERNATIONAL PRELIMINARY EXAMINATION REPORT

Claims

International application No.

NO

PCT/AU00/00696

V. Reasoned statement under Article 35(2) with regard to novelty, inventive step or industrial applicabil and explanations supporting such statement		ive step or industrial applicability; citations	
1.	Statement		
ļ	Novelty (N)	Claims 1-17	YES
		Claims	NO
	Inventive step (IS)	Claims 1-17	YES
		Claims	NO
	Industrial applicability (IA)	Claims 1-17	YES

2. Citations and explanations (Rule 70.7)

Citations

- (a) Metalloorganicheskaia Khimiia, 1, No.3, 1988 (Druz et al.) "Growth Epitaxial Films of Sulfides of Cadmium and Zinc from Dithiocarbamate Compounds M(S2CNEt2)2 (M=Cd, Zn)", see pages 645 649.
- (b) Thin Solid Films, 271, 1995 (Nomura et al.) "Single-Source MOVPE Growth of Zinc Sulfide Thin Films Using Zinc Dithiocarbamate Compexes", see pages 4-7.
- (c) Journal Of The American Chemical Society, 119, No.16, 23 April 1997 (Cheon et al.) "Gas Phase Photochemical Synthesis Of II/VI Metal Sulfide Films...", see pages 3838-3839.
- (d) Journal of Crystal Growth, 97, 1989 (Jones et al.) "The Growth of CdS and CdSe Alloys by MOCVD using a New Dimethylcadmium Adduct" see pages 537-541
- (e) Derwent Abstract Accession No. 96-496203/49, Class E12, RU 2055948 C1,(AS SIBE INORG CHEM INST) 10 March 1996
- (f) Patent Abstract of Japan, JP 11087747 A (MATSUSHITA DENCHI KOGYO KK) 30 March 1999 & JP 11087747 A

Novelty & Inventive Step

Claim 1-17 None of the citations, or obvious combination thereof, disclose all of the features of any of these claims. The claims are limited to epitaxial zinc-based II-IV semiconductor films. Although citation (a) discloses single source process for growth of epitaxial ZnS films the applicant asserts that these attempts were unsuccessful. It is argued that the results indicated the formation of polycrystalline ZnS films. Citation (a) does however disclose epitaxial CdS films.

(19) W rld Intellectual Property Organization International Bureau



(43) International Publication Date 28 December 2000 (28.12.2000)

PCT

(10) International Publication Number WO 00/79033 A1

(51) International Patent Classification⁷: 29/48, H01L 21/365

C30B 25/02,

(21) International Application Number: PCT/AU00/00696

(22) International Filing Date: 20 June 2000 (20.06.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data: PQ 1121

22 June 1999 (22.06.1999) AU

(71) Applicant (for all designated States except US): UNISEARCH LIMITED [AU/AU]; Rupert Myers Building, Gate 14, Barker Street, Sydney, NSW 2052 (AU).

(72) Inventors; and

(75) Inventors/Applicants (for US only): TRAN, Nguyen, Hoang [AU/AU]; 22 Bent Street, Altona, VIC 3018 (AU). HARTMANN, Andreas, Jurgen [DE/AU]; 45 Newman Street, Newtown, NSW 2042 (AU). LAMB, Robert, Norman [AU/AU]; 9 Gamut Road, Engadine, NSW 2233 (AU). (74) Agent: GRIFFITH HACK; GPO Box 4164, Sydney, NSW 2001 (AU).


- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

--- With international search report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: EPITAXIAL FILMS



(57) Abstract: Growth of epitaxial zinc sulphide semiconductor film using zinc diethyldithiocarbamate precursor as single source.

WO 00/79033 A1

EPITAXIAL FILMS

Field of the Invention

The present invention relates broadly to the growth of epitaxial II-VI semiconductor films. The invention will be described herein with reference to the growth of epitaxial zinc sulfide (ZnS) on silicon (Si) (111) substrates, but it will be appreciated that the invention does have broader applications relating to growth of epitaxial II-VI semiconductor films of different materials and/or on different substrates.

Background of the Invention

10

15

20

25

30

35

Films that grow with singular crystallographic orientation in all directions are referred to as epitaxial films. This has to be contrasted with poly-crystalline thin films, which include a large number of crystallites —but with variable orientations with respect to each other.

Epitaxial thin films have been produced using a variety of different techniques, including molecular beam epitaxy (MBE), vapour phase epitaxy (VPE) and atomic layer epitaxy (ALE). However, a common characteristic of those techniques is that the epitaxial film growth requires multiple sources for the film elements, for example separate sources for zinc (Zn) and sulphur (S) are required for the epitaxial growth of ZnS films. Therefore, such techniques can have the disadvantage of being rather complex processes, during which a large number of variables must be controlled. This often results in high costs associated with the operation of machines for epitaxial film growth.

Epitaxial thin films are desirable for a large number of applications including light emitting layers for diodes, as active layers in optical/electro-optical thin film devices and as coatings. In this application, the single-crystal like characteristics of epitaxial films are utilised, which are typically superior to the characteristics of polycrystalline films.

20

25

30

Summary of the Invention

In accordance with a first aspect of the present invention there is provided an epitaxial II-VI semiconductor film grown using single source chemical vapour deposition.

In one embodiment, the epitaxial film comprises ZnS.

Preferably, the ZnS is grown using zinc

diethyldithiocarbamate as precursor for the single source
chemical vapour deposition.

In another preferred embodiment, the ZnS is grown using $\text{Zn}(S_2\text{CNR}_2)_2$, where R comprises an alkyl group, as a precursor for the single source chemical vapour deposition.

The number of carbon atoms in the alkyl group is preferably in the range from 1 to 6.

In accordance with a second aspect of the present invention there is provided a process comprising the steps of utilising single source chemical vapour deposition for growing an epitaxial II-VI semiconductor film on a substrate.

In one embodiment, the epitaxial film comprises ZnS.

In one preferred embodiment the process comprises the use of zinc diethyldithiocarbamate as a precursor for the single source chemical vapour deposition.

In another preferred embodiment, the ZnS is grown using $Nz(S_2CNR_2)_2$, where R comprises an alkyl group, as a precursor for the single source chemical vapour deposition.

The number of carbon atoms in the alkyl group is preferably in the range from 1 to 6.

Preferably, the substrate comprises a silicon (111) substrate.

In accordance with a third aspect of the present invention, there is provided a substrate coated with a coating comprising an epitaxial II-VI semiconductor film grown using single source chemical vapour deposition.

Preferably, the substrate comprises silicon (111).

In one embodiment, the epitaxial film comprises ZnS.

15

25

30

35

In accordance with a fourth aspect of the present invention, there is provided a process for growing an epitaxial II-VI semiconductor film, the process comprising the steps of cleaning a substrate, heating the substrate to a deposition temperature, the sublimation of a single source chemical vapour deposition precursor;

the pyrolysis of the precursor molecules on the heated substrate; and

the formation of the epitaxial film on the heated 10 substrate.

Preferably, the substrate comprises silicon (111).

In one embodiment, the epitaxial film comprises ZnS.

Preferred forms of the invention will now be described, by way of example only, with reference to the accompanying drawings.

Brief Description of the Drawings

Figure 1 is a schematic drawing of a deposition chamber embodying the present invention.

Figure 2 shows angle dependent X-ray photoelectron defraction measurements of epitaxial films embodying the present invention.

Figure 3 is schematic drawing illustrating a side view of a ZnS crystalline structure.

Figure 4 shows an X-ray photoelectron spectroscopy wide scan of a ZnS film embodying the present invention.

Figure 5 shows an angle dependent X-ray photoelectron defraction measurements of a ZnS film after sputtering.

Figure 6 shows energy dependent X-ray photoelectron defraction measurements of an epitaxial film embodying the present invention.

Figure 7 is schematic drawing illustrating a side view of a ZnS crystalline structure.

Figure 8 is a schematic drawing illustrating the formation of an epitaxial film embodying the present invention.

Figure 9 is a block diagram illustrating the growth of epitaxial films embodying the present invention.

Figure 10 is a schematic diagram illustrating a device application embodying the present invention.

5 Detailed Description of the Preferred Embodiments

10

15

20

30

35

In Figure 1, a high vacuum deposition chamber 10 (base pressure 10^{-7} Torr) comprises a resistively heated Knudsen cell 12 loaded with a zinc diethyldithiocarbamate precursor powder (not shown) for the single source chemical vapour deposition (SSCVD). A silicon Si(111) substrate 19 is mounted on a sample holder 16 on a heater 100 and the epitaxial film (not shown) is formed on the substrate 19. The chamber 10 further comprises a view port 11, a port 13 to which a vacuum pump (not shown) is connected and a flexible flange 15 as part of a x,y,z manipulator 17 for the heater 100.

As illustrated in Figure 8, sublimed zinc diethyldithiocarbamate molecules 80 impinge on the heated substrate 19. In the diethyldithiocarbamate molecules 80, the zinc atom is in a similar environment to that of zinc in crystalline ZnS. The SSCVD growth of the ZnS epitaxial film 84 proceeds via the pyrolysis of $\text{Zn}[S_2\text{CN}(C_2\text{H}_5)_2]_2$ on the heated substrate 19 (400°C):

25
$$\operatorname{Zn}[S_2\operatorname{CN}(C_2H_5)_2]_2 \to \operatorname{ZnS} + C_2H_5\operatorname{NCS} + (C_2H_5)_3\operatorname{NCS}_2$$
 (1)

 C_2H_5NCS and $(C_2H_5)_3NCS_2$ decompose into by-products such as C_2H_4 , CS_2 and $(C_2H_5)NH$ which are volatile in vacuum and therefore do not remain on the heated substrate 19 during the ZnS epitaxial film growth.

In this embodiment epitaxial film growth of ZnS was found on the Si (111) surface (lattice mismatch $\sim 0.2\%$).

As shown in Figure 9, in one embodiment the growth of epitaxial films comprises the cleaning of the Si substrate (step 90), the heating of the Si substrate (step 92), the sublimation of the diethyldithiocarbamate precursor (step

5

94), the pyrolysis of the diethyldithiocarbamate molecules on the heated substrate (step 96) and the formation of the epitaxial ZnS film on the heated substrate (step 98).

The cleaning of the Si(111) substrates (step 90) in one embodiment comprises the sequence of steps outlined in Table 1.

1	annealing in oxygen	1050°C	30 min
2	rinse in deionised H_2O	room temp	5 min
		(ultrasonic bath)	
3	rinse in EtOH	room temp	5 min
		(ultrasonic bath)	
4	rinse in Iso-propyl	room temp	5 min
	alcohol	(ultrasonic bath)	
5	N ₂ blown dry	•	30 sec
6	12H ₂ O : 7NHF ₄ : 1HF	room temp	10 min
7	rinse in deionised ${\rm H}_2{\rm O}$	room temp	1 min
8	N ₂ blown dry		30 sec
9	$5H_2O$: $1HC1$: $1H_2O_2$	80°C, oil bath	10 min
10	rinse in deionised $\mathrm{H}_2\mathrm{O}$	room temp	1 min
11	N ₂ blown dry		30 sec
12	$12H_2O$: $7NHF_4$: $1HF$	room temp	10 min
13	rinse in deionised $\mathrm{H}_2\mathrm{O}$	room temp	1 min
14	N ₂ blown dry		30 sec
15	$5H_2O$: $1HC1$: $1H_2O_2$	80°C, oil bath	10 min
16	rinse in deionised $\mathrm{H}_2\mathrm{O}$	room temp	1 min
17	N ₂ blown dry		30 sec
18	12H ₂ O : 7NHF ₄ : 1HF	room temp	10 min
19	rinse in deionised H_2O	room temp	1 min
20	N₂ blown dry		30 sec
21	5H ₂ O : 1HCl : 1H ₂ O ₂	80°C, oil bath	10 min
22	rinse in deionised H ₂ O	room temp	1 min
23	N ₂ blown dry		30 sec
24	NH ₄ F (40%) or HF (5%)	room temp	10 min

6

- 25 rinse in absolute EtOH room temp 2 min
- 26 Mounting onto sample holder/heater 16
- 27 loading into deposition chamber 10

10

15

20

28 heating for removing 350°C, vacuum (10⁻⁸ torr) 1 surface contaminants 5

m

i

n

In will be appreciated, however, that other cleaning step sequences and different treatment times may be applied, which may e.g. comprise sputtering and annealing steps in the high vacuum deposition chamber 10 (Figure 1). Film Characterisation

The resulting epitaxial films were characterised using X-ray photoelectron spectroscopy (XPS) and X-ray photoelectron diffraction (XPD).

Figure 2 shows an angle dependent XPD scan of the Zn $2p_{3/2}$ intensity distribution for ZnS epitaxial films at thicknesses ranging from ~5 to 2000Å. The film thicknesses were estimated using the intensity attenuating of the XPS Si substrate peaks. The XPD measurements were performed after subsequent SSCVD deposition cycles.

The XPD patterns exhibit an intense and broad peaks 20, 22, and 24 at $\theta=0^{\circ}$ which are the result of forward-scattering of Zn $2p_{3/2}$ photoelectrons by neighbouring atoms. In ZnS, every zinc atom is surrounded by four sulfur atoms in a tetrahedral arrangement which results in either a cubic (sphalerite) or a, slightly distorted, hexagonal (wurtzite) structure.

PCT/AU00/00696 WO 00/79033

7

The enhanced XPD intensities 20, 22, 24 at $\theta=0^{\circ}$ in curves a, b, and c of Figure 2 respectively therefore indicate that the film molecules have preferred orientation at the film-to-substrate interface and the Zn 2p3/2 5 photoelectrons are scattered by the sulfur neighbours perpendicular to the substrate.

As illustrated in Figure 3, the forward scattering enhancement 20, 22, 24 at $\theta=0^{\circ}$ in curves a, b and c of Figure 2 is likely the result of forward-scattering of $Zn2p_{3/2}$ photoelectrons emitted from the zinc atoms 30 at the sulphur atoms 32, which are positioned directly above the zinc atoms 30 at a distance of 2.3 Å in an ideal ZnS cubic crystal structure.

10

15

25

30

In Figure 4, a XPS wide scan 40 for a typical ZnS epitaxial film embodying the present invention is shown. In the curve 40 shown in Figure 4, the silicon substrate peaks can also be observed, which are not fully attenuated due to the thinness of the ZnS epitaxial film on which the XPS measurement shown in Figure 4 was performed. chemical composition obtained from XPS scans such as the 20 one shown in Figure 4 were in agreement with those obtained for a ZnS reference sample.

In Figure 5, the curve 50 shows the XPD measurement for the 2000Å thick film of curve c of Figure 2 after Ar⁺ ion etching.

During the Ar ion etching, highly energetic (2000 electron Volt (2keV)) impact on the film surface, resulting in a disordering of the crystallographic structure of the surface. In curve 50 of Figure 5, the XPD scan therefore does not indicate a significant forward scattering enhancement at $\theta=0^{\circ}$.

Energy dependent XPD was employed to probe the inplane orientation of the film molecules. The sample position and angle remained unchanged while the energy of 35 the incoming X-rays was varied.

8

The energy dependent XPD features shown in Figure 6 are a result of diffraction of S 2p photoelectrons in the ZnS atomic network. The photoelectron take-off angle was 19° with respect to the surface plane, i.e. the measurement was sensitive for crystallographic order within the plane of the substrate. As diffraction is a long range order process (diffraction of photoelectrons requires single crystalline surfaces) the observation of peaks 60, 62, 64 demonstrates that the film is of epitaxial quality.

10 As illustrated in Figure 7, the peaks 60, 62, 64 in the measurement shown in Figure 6 are due to the forward scattering of S 2p photoelectrons emitted from the sulphur atoms 70 at zinc atoms 72, which are the next neighbours of the sulphur atoms 70 in the [111] crystallographic

15 direction 74, along which the measurement shown in Figure 6 was measured. The distance between the sulfur atoms 60 and the Zn atoms 72 in an ideal ZnS cubic crystal structure is 2.3 Å.

In the following, a specific device application embodying the present invention will be described with reference to Figure 10.

20

25

30

35

Silicon is transparent at the typical telecommunications wavelength and it has been shown that Silicon-On-Insulator (SOI) structures can be used as waveguides. In these structures the wave is guided by a thin silicon layer on SiO_2 .

Figure 10 illustrates the principles of an optical modulator design 100. The silicon 102 is partially replaced by an epitaxial ZnS layer 104 which acts as waveguide. A suitable AC voltage applied across the ZnS layer 104 alters the refractive index of the ZnS and it is therefore possible to modulate light 105 guided through the film directly.

The epitaxial ZnS layer 104 is grown on the remaining slightly doped (111) oriented silicon layers 106 which also comprises the bottom electrode. A thin metal film 108

9

(e.g. Cr) is deposited onto the ZnS film 104 and form the top electrode. Optical losses are dependent on the density of defects in the ZnS layer 104 and it is therefore of significant advantage that they can be grown single crystalline using the technology of the present invention.

It will be appreciated by a person skilled in the art that the present invention is not limited to that specific application, but other applications are possible, including for example in other optical modulator devices, optical waveguide devices, transistor and diode devices, blue light emitting devices, solar cells, and as coatings for infrared sensing, emitting, or transmitting devices.

In the claims that follow and in the summary of the invention, except where the context requires otherwise due to express language or necessary implication, the word "comprising" is used in the sense of "including", i.e. the features specified may be associated with further features in various embodiments of the invention.

15

In the claims that follow and in the summary of the invention, except where the context requires otherwise due to express language or necessary implication, the word "comprising" is used in the sense of "including", i.e. the features specified may be associated with further features in various embodiments of the invention.

THE CLAIMS DEFINING THE INVENTION ARE AS FOLLOWS:

- 1. An epitaxial II-VI semiconductor film grown using single source chemical vapour deposition.
- 2. An epitaxial film as claimed in claim 1, wherein the epitaxial film comprises ZnS.
 - 3. An epitaxial film as claimed in claim 2, wherein the ZnS is grown using zinc diethyldithiocarbamate as precursor for the single source chemical vapour deposition.
- 4. An epitaxial film as claimed in claim 2, wherein the ZnS is grown using Zn(S2CNR2)2, where R comprises an alkyl group, as a precursor for the single source chemical vapour deposition.
 - 5. A process as claimed in claim 4, wherein the number of carbon atoms in the alkyl group is in the range from 1 to 6.
 - 6. A process comprising the steps of utilising single source chemical vapour deposition for growing an epitaxial II-VI semiconductor film on a substrate.

15


20

30

- 7. A process as claimed in claim 6, wherein the epitaxial film comprises ZnS.
 - 8. A process as claimed in claim 7, wherein the process comprises the use of $Zn(S_2CNR_2)_2$, where R comprises an alkyl group, as a precursor for the single source chemical vapour deposition.
- 9. A process as claimed in claim 8, wherein the number of carbon atoms in the alkyl group is in the range from 1 to 6.
 - 10. A process as claimed in claim 7, wherein the process comprises the use of zinc diethyldithiocarbamate as a precursor for the single source chemical vapour deposition.
 - 11. A process as claimed in any one of claims 6 to 10, wherein the substrate comprises a silicon (111) substrate.

11

- 12. A substrate coated with a coating comprising an epitaxial II-VI semiconductor film grown using single source chemical vapour deposition.
- 13. A substrate as claimed in claim 12, wherein the substrate comprises silicon (111).
 - 14. A substrate as claimed in claims 12 or 13, wherein the epitaxial film comprises ZnS.
 - 15. A process for growing an epitaxial II-VI semiconductor film, the process comprising the steps of:
- 10 cleaning a substrate,
 - heating the substrate to a deposition temperature,
 - the sublimation of a single source chemical vapour deposition precursor;
 - the pyrolysis of the precursor molecules on the heated substrate; and
 - the formation of the epitaxial film on the heated substrate.
 - 16. A process as claimed in claim 15, wherein the substrate comprises silicon (111).
- 20 17. A process as claimed in claim 15 or 16, wherein the epitaxial film comprises ZnS.






Figure 2

Subtitute Sheet (Rule 26) RO/AU 3/8




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7

Subtitute Sheet (Rule 26) RO/AU

PCT/AU00/00696






Figure 8




Figure 9

Subtitute Sheet (Rule 26) RO/AU




Figure 10

INTERNATIONAL SEARCH REPORT

International application No. PCT/AU00/00696

A.	CLASSIFICATION OF SUBJECT MATTER		
Int. Cl. 7:	C30B 25/02, 29/48, H01L 21/365		
According to	International Patent Classification (IPC) or to both	national classification and IPC	
	FIELDS SEARCHED		
	unentation searched (classification system followed by cl	assification symbols)	
C30B 25/02	, 29/48, C23C 16/30, H01L 21/365		
Documentation	searched other than minimum documentation to the extension	ent that such documents are included in t	he fields searched
dwni IPC ar	base consulted during the international search (name of and (singl+ or vapo+) and (source+ or precurs+) iocarbamate and zinc and semiconductor	data base and, where practicable, search	terms used)
C.	DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.
х	Metalloorganicheskaia Khimiia, 1, No.3, 198 Epitaxial Films of Sulfides of Cadmium and 2 Compounds M(S ₂ CNEt ₂) ₂ (M=Cd, Zn)", see	Zinc from Dithiocarbamate	1-17
х	Thin Solid Films, 271, 1995 (Nomura et al.) "Single-Source MOVPE Growth of Zinc Sulfide Thin Films Using Zinc Dithiocarbamate Compexes", see pages 4-7.		
x	Journal Of The American Chemical Society, (Cheon et al.) "Gas Phase Photochemical Syn Films", see pages 3838-3839.	119, No.16, 23 April 1997 othesis Of II/VI Metal Sulfide	1-17
x	Further documents are listed in the continuation	on of Box C X See patent fam	nily annex
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published after the international filing date or priority date and not in conflict with the application but cited understand the principle or theory underlying the invention cannot be considered novel or cannot be considered to involve an inventive step when the document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document combined with one or more other such documents, such combination being obvious to a person skilled in the art document member of the same patent family			n the application but cited to inderlying the invention se claimed invention cannot insidered to involve an staken alone se claimed invention cannot we step when the document is such documents, such son skilled in the art int family
	tual completion of the international search	Date of mailing of the international conditions of the interna	rch report
9 August 20	000 iling address of the ISA/AU	Authorized officer	
AUSTRALIA PO BOX 200 E-mail addres	N PATENT OFFICE , WODEN ACT 2606, AUSTRALIA ss: pct@ipaustralia.gov.au . (02) 6285 3929	R.P. ALLEN Telephone No: (02) 6283 2134	

INTERNATIONAL SEARCH REPORT

International application No.
PCT/AU00/00696

C (Continua		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Х	Journal of Crystal Growth, 97, 1989 (Jones et al.) "The Growth of CdS and CdSe Alloys by MOCVD using a New Dimethylcadmium Adduct" see pages 537-541	1
X	Derwent Abstract Accession No. 96-496203/49, Class E12, RU 2055948 C1,(AS SIBE INORG CHEM INST) 10 March 1996	1, 15-16
X	Patent Abstract of Japan, JP 11087747 A (MATSUSHITA DENCHI KOGYO KK) 30 March 1999 & JP 11087747 A	1-17

INTERNATIONAL SEARCH REPORT Information on patent family members

International application No. PCT/AU00/00696

This Annex lists the known "A" publication level patent family members relating to the patent documents cited in the above-mentioned international search report. The Australian Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent Do	cument Cited in Search Report	1	Patent Family Member
JР	11087747	NONE	
RU	2055948	NONE	
			END OF ANNEX